
pyrebrandly Documentation

Release 0.1.0

Ken Spencer

Jul 23, 2017

Contents

1 Request	1
2 Exceptions	3
3 Installation	5
3.1 Installing via Pip	5
3.2 Installing via source	5
4 Using	7
5 About	9
5.1 Legal	9
6 Donations	11
7 Welcome to pyrebrandly's documentation!	13
8 Indices and tables	15
9 Legal	17
Python Module Index	19

CHAPTER 1

Request

CHAPTER 2

Exceptions

```
exception pyrebrandly.exceptions.APIError
    Base API Error

exception pyrebrandly.exceptions.APITimeoutError
    API Operation Timeout
    Code: 504

exception pyrebrandly.exceptions.APIUnavailableError
    API endpoint under maintenance
    Code: 503

exception pyrebrandly.exceptions.AlreadyExistsError
    Link etc. Already Exists
    Code: 403

exception pyrebrandly.exceptions.BadGatewayError
    Failure in Rebrandly's upstream providers
    Code: 502

exception pyrebrandly.exceptions.BadRequestError
    Invalid JSON Request
    Code: 400

exception pyrebrandly.exceptions.Error
    Base Error

exception pyrebrandly.exceptions.InternalServerError
    API Endpoint Server Error
    Code: 500

exception pyrebrandly.exceptions.InvalidFormatError
    Invalid input format
    Missing body
```

Limits threshold reached

Code: 403

exception pyrebrandly.exceptions.InvalidOptionsError (*, possible=None, invalid=None)

 Invalid Options in Options dict()

:exception InvalidOptionsError

exception pyrebrandly.exceptions.NotAuthorizedError

 Authorization credentials invalid

 oAuth Token expired etc.

Code: 401

exception pyrebrandly.exceptions.NotEnoughArgumentsError (*, func=None, args=None)

 Not Enough Arguments for method

exception pyrebrandly.exceptions.NotFoundError

 Resource/Endpoint not found

Code: 404

exception pyrebrandly.exceptions.RebrandlyError

 Base+Base Error

CHAPTER 3

Installation

Installing via Pip

Installing via pip makes the install very easy.

- `pip3 install pyrebrandly`

Installing via source

If you want to install via source, you have to download the source.

Git

```
GitHub - git clone https://github.com/ElectroCode/pyrebrandly  
GitLab - git clone https://gitlab.com/ElectroCode/pyrebrandly
```

PyPi

```
pip3 download pyrebrandly  
pip3 install pyrebrandly -d <dir> - 'Downloads package into <dir> instead of installing,  
regardless of what's already installed'
```

You will want to run the following to get the dependencies for **:bold:'pyrebrandly'**

With Sudo - `sudo pip3 install -r requirements.txt`

User Install - `pip3 install -r requirements.txt --user`

CHAPTER 4

Using

Using pyrebrandly is pretty easy, its just like any other library, although to start off, you have to set your account information for the library to use.

```
import pyrebrandly  
  
client = pyrebrandly.Client(key='xxxxxxxxx', id='xxxxxxxxx', )
```


CHAPTER 5

About

I made pyrebrandly and its cousin rebrandlyrb out of wanting to make it easier to use the Rebrandly API.

Legal

pyrebrandly is/was developed by Ken Spencer. Ken Spencer does not have any affiliation nor endorsement from Rebrandly.

While this library was made with security, self-sufficiency, and self-configuration in mind, anyone that uses this library does so at their own risk.

CHAPTER 6

Donations

pyrebrandly was brought to you through my own want, although if you do like it, and think it deserves it, I would very much appreciate a donation.

Donation Link paypal.me/ElectroCode

CHAPTER 7

Welcome to pyrebrandly's documentation!

pyrebrandly is a python package used to access rebrandly.com's API.

CHAPTER 8

Indices and tables

- genindex
- modindex
- search

CHAPTER 9

Legal

For the legal and copyright disclaimer, see *Legal*

Python Module Index

p

`pyrebrandly.exceptions`, 3

Index

A

AlreadyExistsError, 3
APIError, 3
APITimeoutError, 3
APIUnavailableError, 3

B

BadGatewayError, 3
BadRequestError, 3

E

Error, 3

I

InternalServerError, 3
InvalidFormatError, 3
InvalidOptionsError, 4

N

NotAuthorizedError, 4
NotEnoughArgumentsError, 4
NotFoundErrors, 4

P

pyrebrandly.exceptions (module), 3

R

RebrandlyError, 4